

*PW* (195 / ) Department

*MS* SERIES.

|          |                |
|----------|----------------|
| G.O. NO. | <i>988</i>     |
|          | <i>988</i>     |
| Dated    | <i>13-3-57</i> |

*Close*  
*Ph*  
*28/3/57*  
*for*  
*14/4/57*

---

[Despatch Abstract.]

Electricity - Mangalore Electric Licence- Booklet of conditions and rates of supply - Part I - Amendment - Approved.

# THE MANGALORE ELECTRIC SUPPLY CO., LTD.

Managing Agents.

OCTAVIUS STEEL &amp; CO. LTD.

POST BOX No. 55

14, OLD COURT HOUSE STREET,

Calcutta 1, 1st Feby. 1951.

GRAMS: "LADZANDO" CALCUTTA

Phone No. City 1146 (2 Lines)

Ref. No. Man/919/124

The Secretary to the Government  
of Madras,  
Public Works Department,  
Fort St. George, Madras.

OFFICE OF THE CHIEF ELECTRICAL  
INSPECTOR TO GOVT. OF M.D.G. No. 3 FEB 1951

✓ THROUGH: The Chief Electrical Inspector,  
Government of Madras,  
Post Box No. 417,  
Chepauk, Madras.

Dear Sir, The Mangalore Electric License - Booklet of  
Conditions of Supply - Door-locked Cases -  
Limitation of Horse Power of Squirrel Cage  
Motors etc. - Amendment solicited.

We hereby apply for permission to amend the Com-  
pany's Booklet of Conditions of Supply as follows:-

Section 15. The existing paragraphs of Clause 15 will  
be renumbered as Clause 15(a) and Clause 15(b), and the  
following inserted as Clause 15(c):-

"When a consumer leaves his installation connected to  
the licensee's mains, but locks up the meter or other-  
wise makes it inaccessible for reading by the licen-  
see, for the first month of such inaccessibility the  
consumer will be charged the monthly minimum. If in  
the next month the meter is accessible for reading,  
the consumer will be charged the actual consumption  
less the above minimum, but subject to the monthly  
minimum. If on the other hand the meter remains in-  
accessible in the second month also, the consumer  
will be served with a 24 hours' notice (Section 20 of  
the Indian Electricity Act, 1910) to open his premises

A

For the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice, the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for reconnection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for the period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, the authorised fee for disconnection and reconnection will be collected before reconnection."

Yours faithfully,  
per pro Octavius Steel & Co. Ltd.

(J.A.Sayer)  
Managing Agents.

5

Office of the Chief Electrical Inspector to  
Government, Post Box No.417, Chebauk, Madras. 5.

ENDORSEMENT No: 6925 Accts. E.I./50-2 dated 21-2-1951.

Sub: Electricity - Mangalore Electric Supply Company Ltd. - Booklet  
of rates and conditions - Amendment to clause 15 of Part I of  
the booklet.

Letter No. Man/919/24 dated 1-2-51 from Mangalore Electric Supply  
Company Limited to the Secretary to Government, Public Works  
Department, through the Chief Electrical Inspector to Government.

Forwarded to the Secretary to Government, Public Works  
Department, Madras.

The amendment proposed by the licensee is recommended as it is  
in line with the model form annexed to the G.O.No.3090 d/29-8-42.  
The amendment may please be approved and the licensee asked to  
print correction slips and forward three copies each to Government  
and the Chief Electrical Inspector to Government.

A.S.R./22-2-51.

*Umanand*  
~~For~~ Chief Electrical Inspector  
to Government.

To The Secretary to Government,  
Public Works Department,  
Madras, (with enclosures).

Copy to Duty inspection report file.

*W*  
*23.2.51*

Elcy - Mangalore Electric Supply <sup>limited</sup> ~~company~~ Ltd.  
Booklet of Conditions and Rates of Supply.  
~~Amend~~ Part I - Amendment - ~~Amend~~  
Approved.

By:- Fromster Mangalore Electric Supply Co. Ltd -  
 ref no Man / 919/249 1-2-51  
 1 GEI ~~Control~~ no 6925 Aut EI / 50-2  
 7.1.2.51.

Co MS no 988 . A. 13. 31. 57

H. E. the Governor of Madras hereby approves the following amendment to the booklet of Conditions and rates of supply of the Mangalore Electric Supply Co., Ltd. as:-

Amendment -

11. The on Impart-I of the booklet, the posting  
two paragraphs of clause 15 should be renumbered  
as clause 15(a) and clause 15(b) and the

p4 ⑦

Following inserted as clause 15 (c).

[Here enter A on pp 1-3 of]

2 The license is requested to issue  
necessary printed Correction Slip and send  
three copies each to the Govt. Secy CEIR

RR  
9.3.51.  
4.3.51

DR  
10.3.51

Note The draft above which is based  
on the recommendation of the CEIR <sup>in p 5 of A</sup>  
~~approved~~ is for approval.

RR  
9.3.51.

DR  
10.3.51

2/15/53

The Mangalore  
Electric Supply Company  
14, Old Court House  
Calcutta.  
CE 9 Cr  
15/4.  
page 2. RD 30.4.51.

## THE MANGALORE ELECTRIC SUPPLY CO., LTD.

Managing Agents :-

OCTAVIUS STEEL &amp; CO., LTD.

POST BOX NO. 55

14. OLD COURT HOUSE STREET.

GRAMS : "LARIKANDI CALCUTTA."

PHONE NO. CALCUTTA (3 LINES)

Ref. No. Man/2977/24 Calcutta, 19th March 1951.

The Secretary to Government,  
Public Works Department,  
Madras.

Dear Sir,

We acknowledge receipt of a copy of G.O.Ms.988 dated 13-3-51 ~~being~~ approval of the Government to the amendment proposed to clause 15 of the booklet of conditions and rates of supply of the Mangalore Electric License. The necessary printed copies of correction slips will be forwarded to the Government and the Chief Electrical Inspector in due course.

Yours faithfully,  
for Octavius Steel & Co.Ltd.

H. Krishna Murthy  
Managing Agents.

pw(p)

As Maylee

107-8 (R) Please see the letter above with reference to para 2 of G.O.Ms. 988 P.W. 13-3-51. The license will be reissued on 30-4-51. Maylee filed with G.O. 4- (R)

24-3-51  
22/3/51

PM  
30/3/51

# THE MANGALORE ELECTRIC SUPPLY COMPANY, LIMITED.

MANAGING AGENTS:  
Octavius Steel & Co., Ltd.,  
CALCUTTA.

Resident Engineer's Office,

Mangalore, 7th May 1951

REJ. NEWBURY 1068/24

The Secretary to Govt. of Madras,  
Public Works Dept.,  
Fort St. George,  
Madras.

Dear Sir,

With reference to the last paragraph of G.O. Ms. No. 988 dated 13th March 1951, I send herewith three copies of the typed correction slip as directed therein.

Three copies of the correction slip have also been submitted to the Chief Electrical Inspector to the Government of Madras.

Yours faithfully,

*H. H. Kerty*  
7/5/51

Encl:-

For Resident Engineer.

H

PLP

Please see the letter on 1 and  
former. Mangalore Electric Licensee  
and its enclosure on 3 infra.  
The correction slip on 3 infra is in  
accordance with Amendment approved  
in Go order 988 PD of 13.3.51 except for  
the omission of the letter 'S' in the 3rd line of the amendment, which is not material.  
The slip has been passed in the  
relevant page of the booklet of p 4 (1)  
Conditions & rates of Suppl. Papers  
may be filed with Govt - (0)

RR  
16/5/51  
13/5/51

PLP  
13/5/51

13

Amendment

In Part I of the Booklet the existing clause 15 will be renumbered as clause 15(a) and 15(b) and the following inserted as Clause 15(c).

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise make it inaccessible for reading by the licensee, for the first month of such inaccessibility, the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also, the consumer will be served with a 24 hours' notice (Section 20 of the Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice, the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for reconnection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, the authorised fee for disconnection and reconnection will be collected before reconnection.

# THE MANGALORE ELECTRIC SUPPLY COMPANY, LIMITED.

MANAGING AGENTS:  
Octavius Steel & Co., Ltd.,  
CALCUTTA.

RESIDENT ENGINEER'S OFFICE,  
POST BOX NO. 78,  
MANGALORE-1

Ref. No. MAN/1581/24

Dated 5th August 1952

The Secretary to the Govt. of  
Madras,

Public Works Department,  
Fort St. George,  
Madras.

Dear Sir,

With reference to this office  
letter No. Man/1068/24 dated 7th May  
1951; I send herewith three copies of  
the printed correction slips approved  
in G.O.No.Ms.988 dated 13.3.1951.

Three copies of the printed  
correction slips have also been  
submitted to the Chief Electrical  
Inspector to the Government of Madras  
and the Electrical Inspector, Chempauk,  
Madras 5.

Yours faithfully,

Resident Engineer.

Encl:-

A.S.P.W.B(P.)

Please see the letter at  
 p. 1 ante. The correction slip is in  
 accordance with <sup>the</sup> amendment approved  
 in G.O. No. 988 P.W. of 13.3.51. — ~~5422~~ (K)  
 One slip has been pasted over to the ~~4.4.51~~ (B)  
 booklet of rates and conditions of supply.  
 The papers may now be filed with  
 G.O. No. 988 P.W. of 13.3.51. (K)

21.8.52 ~~21.8.52~~  
 21.8.52

22.8.52  
 22.8.52

The Mangalore Electric Supply Co., Ltd.

**Amendment.**

In Part I of the Booklet, the existing two paragraphs in Clause 15 will be renumbered as Clause 15(a) and 15(b) and the following inserted as Clause 15(c).

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility, the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also, the consumer will be served with a 24 hours' notice (Section 20 of the Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice, the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for reconnection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for the period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, the authorised fee for disconnection and reconnection will be collected before reconnection.

(Approved in G. O. Ms. No. 988. dated 13-3-1951).

---

The Mangalore Electric Supply Co., Ltd.

**Amendment.**

In Part I of the Booklet, the existing two paragraphs in Clause 15 will be renumbered as Clause 15(a) and 15(b) and the following inserted as Clause 15(c).

When a consumer leaves his installation connected to the licensee's mains, but locks up the meter or otherwise makes it inaccessible for reading by the licensee, for the first month of such inaccessibility, the consumer will be charged the monthly minimum. If in the next month the meter is accessible for reading, the consumer will be charged the actual consumption less the above minimum, but subject to the monthly minimum. If on the other hand the meter remains inaccessible in the second month also, the consumer will be served with a 24 hours' notice (Section 20 of the Indian Electricity Act, 1910) to open his premises for the reading of the meter by the licensee at a fixed time and date; if the meter is now made available for reading, the consumer will be charged the actual consumption less the minimum charged or paid for the first month of inaccessibility, subject to the monthly minimum. If the meter remains inaccessible even after the 24 hours' notice, the premises will be disconnected. For that month also the monthly minimum will be charged to the consumer. If the meter is made accessible subsequent to the disconnection for purposes of reading the meter and settling accounts or for reconnection of the service as the case may be, the consumer will be charged the actual consumption less the two minima charged or paid for the two months of inaccessibility subject to the proportionate minimum for the period of inaccessibility of the meter upto the time of disconnection. If the consumer applies for reconnection, the authorised fee for disconnection and reconnection will be collected before reconnection.

(Approved in G. O. Ms. No. 988 dated 13-3-1951).

---